
PAWSD Permit #_		Acct	# 100	ation #	
Water WO#:		_ /(CC1	" LOC	anor	
W/W WO#:		2	2023		
PAGOSA AREA WATER & SANITATION DISTRICT					
WATER/WASTEWATER CONNECTION REQUEST PERMIT					
		<u>s</u>	<u>single Family</u>		
		100 Lyn Avenue	e, Pagosa Springs,	CO 81147	
			ww.pawsd.org		
Date:		· · · · · · · · · · · · · · · · · · ·	(970) 731-2691 nections@pawsd.o	ara	
Backfill WO #: Inspection Date: Approved: Yes No Added to Stateme					Ctatamant.
DUCKIIII VVO #				d: Yes No Added to	
Meter Size:	Billing	g EU: \	Water: Dro	ought Surcharge:	Sewer:
	<u>Enclo</u> s	<mark>sed Portion to b</mark>	e completed by	Owner or Agent	
Name of propert	v owner:			<del>-</del>	
	•				
G		g Address		City / State / Zip Cod	de
				(Cell):	
E-mail Address	:				
Location of prope	<u>erty</u>				
Street address:					
Subdivision:				block, if applicable:	lot:
General contrac	tor:		Phone number:		
Excavator:			Phone number:		
Single	Family Reside	And 1 Addit	it is 1 Equivalent Ur tional Dwelling Uni erved by Same Wo	• •	Residence
If issued, Building	g Permit #:		uilding Permit Attad		
Backfill Inspectional backfi	<mark>n Fee</mark> : After in Il inspection. <b>F</b>	itial inspection, a Requirements: <mark>1)</mark> .	\$ <b>50 fee will be as</b> Same day as met	sessed to the accou	. 2" from top of cast
				nstall this device on the dwelling/proper	
Private Utility Ease	ments – The إ	property owner/c	contractor is respo	nsible for acquiring	easements.
Shoring: The Prop	erty Owner is	responsible to sh	ore all trenches d	eeper than 4 ft.	
Tracer Wire: The Fends of tracer wire		-	o install tracer wire	from the Meter Pit t	o the structure. Both
	ater Connecti		_	josa Area Water & Stions and accounts	
I acknowledge t	hat PAWSD d	oes NOT guaran	tee location of m	ain(s) and/or service	e lines(s).
Property Owner	or Agent Sign	nature:			_Date:
Connection:	/ ime	Day	/ Date		
•!	<del>-</del>	,			

#### **TERMS & CONDITIONS**

### **Illustration of Meter Pit Backfill**

METER PIT BACKFILL REQUIREMENTS: 1). Same day as meter pit is installed. 2). 2" from top of cast iron lid. 3). 4 ft. perimeter around ENTIRE meter pit.

### BACKFILL 2 INCHES FROM TOP OF THE CAST IRON LID, LOCATED ON TOP OF THE DOME Same Day that Meter Pit is Installed



# THE FOLLOWING IS THE RESPONSIBILITY OF THE PROPERTY OWNER AND MUST BE MET BY THE CONNECTION TIME AT THE PROPERTY SITE OR CANCELLATION MAY OCCUR

### RESULTING IN A \$100.00 CANCELLATION-NO SHOW FEE

- Permits & Regulatory Requirements: All Permits or regulatory requirements necessary for the
  installation, repair, and/or maintenance of a service line, is the sole responsibility of the
  property owner.
- **Excavator & Operator**: Minimum size of backhoe/excavator, equivalent to 580 with rubber tire & 24" bucket. District recommends that the operator have a "spotter" on site during excavation. PAWSD staff will *NOT* act as a spotter, for any other utilities, during excavation.
- **Property pins:** Located to determine utility easement.
- **Utilities**: All other utilities <u>must be marked</u>. District staff will do their best to locate the main lines on the day of connection.
- **Bedding Material**: District requires minimum bedding of 4" below and 12" above pipe with debris free fill. See City/County Specs for their individual requirements.
- **Barricades & Signs**: See City/County Specs for their requirements.
- Cancellation Policy: District contacted minimum of 30 minutes prior to connection time.
- **Tracer Wire:** The Property owner is responsible to install tracer wire from the Meter Pit to the structure. Both ends of tracer wire must be accessible.
- **Private Utility Easements:** Property Owners or Agents are responsible for acquiring the proper easements for the water and/or sewer connections.

## I UNDERSTAND THE ABOVE TERMS & CONDITIONS MUSTE BE MET PRIOR TO CONNECTION DAY OR CHARGES MAY OCCUR Initial

### **Additional Terms & Conditions**

- 1. **SUMP PUMP:** It is illegal to discharge sump pump(s) into the District's sewer system
- 2. **WATER FITTINGS**: Property owner is responsible to provide fitting between meter pit and their pipe (male iron pipe thread coming out of pit, <u>property owner needs **female iron pipe thread**</u>).
- 3. **SEWER INSTALLATION**: District completes tap at main line. Property owner is responsible for all excavation, materials (typically, pipe is 4" PVC Schedule 35), & installation of service line beyond the main line tapping saddle. Suggested minimum fall for 4" pipe is 6" per 100 ft.
- 4. **SEWER MAINTENANCE:** Maintenance of any sewer service line, whether commercial or residential, is the sole responsibility of the property owner of the property serviced by the sewer service line. On properties where more than one property shares a sewer service, the affected property owners share the responsibility to maintain and repair the sewer service line, in its entirety.
- 5. **HIGH PRESSURE WASTEWATER LINE**: Properties provided with this service may require an Environmental One lift station (or equivalent), lateral kit and valve box. Property Owner is responsible for all excavation, materials, installation, and maintenance of service line beyond the main line tapping saddle
- 6. **CONNECTION REFUND:** Any portion of the physical connection NOT completed by the conclusion (typically Oct 31<sup>st</sup>) of this year's District Connection Season shall be refunded. When service is requested, a current Connection Request Permit must be completed and all applicable fees paid.
- 7. **EXCAVATION**: **Trench safety is at District discretion**. Under District's supervision, property owner is responsible for all excavation (blasting, trenching, shoring, backfill, compaction, & ground water pumping) beginning at & including exposing main line. <u>District can NOT guarantee location of main or service line(s).</u>
- 8. **PRE-EXCAVATION**: District is not responsible for misalignment, should excavation occur prior to connection.
- 9. **TRENCH SHARING**: Permitted 5 ft. beyond property line, with a suggested 2 ft. horizontal separation. Colorado Law requires a minimum 10 ft. horizontal separation between water & wastewater lines.
- 10. **FROST LINE**: To prevent freezing of water and/or hi-pressure wastewater lines, lines should be located minimum depth of 4 ft.
- 11. **UTILITY EASEMENT**: When landscaping in & around utility easements, use common sense. In event of leak or other repair, area is at mercy of repair equipment.
- 12. **WATER PRESSURE**: Is property owner's responsibility and expense to reduce / increase water pressure past water meter pit.
- 13. **UNAUTHORIZED CONNECTION**: No excavation of or connection to District water and/or wastewater line(s) shall be made without permission and supervision by District personnel. To do otherwise, could constitute property owner liability for all repairs and applicable fines.
- 14. **CAPITAL INVESTMENT FEE/ RAW WATER ACQUISITION FEE:** Property owner's responsibility to notify the District of change in water fixture count or change-in-use.
- 15. **BILLING**: After connection is completed, availability fee ceases, and monthly service assessment begins.
- 16. **IN-FLOOR or BOILER** used for heat: May require a Backflow Device See State Plumbing Code(s).

I HAVE READ AND UNDERSTAND THE ABOVE ADDITIONAL TERMS AND CONDITIONS Initial